

GALDERMA



THIS IS MY LOOK

Small tweaks. Dramatic changes.

Or even nothing at all. How you define your look is up to you. Restylane has the world's most diverse range of individually engineered fillers and skinboosters,^{*1-10} which means if you do decide to make a change, then you can - on your own terms.^{11,12}

Restylane®
by GALDERMA

* Based on a range of G' values.^{9,10}

HOW CAN RESTYLANE HELP ME ACHIEVE MY LOOK?

THE AGING PROCESS

- As we age, our skin loses fat, collagen, and other important elements that provide facial volume and support
- We also start to see the formation of lines, wrinkles, and folds that can contribute to us looking older

DEFINE YOUR OWN LOOK

- It's not only about smoothing the lines, wrinkles, and folds that come with age. Restylane products can also be used to help you achieve your personalized signature look by creating lift, structure, and volume

THE IMPORTANCE OF HYALURONIC ACID (HA)

- HA is a molecule that is found in the body and plays an important role in hydrating our skin and providing fullness and elasticity
- However, our natural levels of HA decline as we age which can cause skin to lose volume and increase the chances of wrinkles and skin folds



RESTYLANE PRODUCTS CONTAIN A CLEAR GEL FORMULATION OF HA THAT IS **SPECIFICALLY DESIGNED TO ACT LIKE YOUR BODY'S OWN NATURALLY PRODUCED HYALURONIC ACID TO GIVE YOU THE MOST INDIVIDUALIZED AND NATURAL-LOOKING RESULTS.**¹⁻⁶

WHY SHOULD I CHOOSE RESTYLANE?



HIGH PERFORMANCE THAT LASTS

Fillers from the Restylane range achieve results that **last up to 24 months**, depending on the product used and area treated^{*7,8}



THE CLOSEST TO NATURAL HA

Closest to your skin's own HA for **individualized and natural-looking results**²⁻⁵



A TRUSTED PRODUCT

Restylane pioneered the original HA filler over **26 years ago** and has been used in **more than 55 million treatments worldwide**, in a diverse range of skin colors, tones, and types^{**†9-12}



ENHANCES YOUR NATURAL EXPRESSION

Restylane products work to enhance your face's natural movement for **youthful-looking results**¹³



A HIGH LEVEL OF TREATMENT SATISFACTION

99% of patients would recommend a Restylane treatment to a friend¹⁴

Restylane
26
YEARS

Restylane
55
MILLION TREATMENTS

* A second treatment (retreatment) was performed at 12 months in the same areas with the same products. Touch-up was allowed 1 month after both treatments.⁷
** Restylane injectable gel was first approved for marketing and sale in September 1996 in the EU.⁹
† Based on a Restylane publications analysis conducted in June 2021. Sources include a published post-marketing safety study of 638 patients and a retrospective analysis of adverse event reports encompassing 406,000 patients.¹²

ACHIEVE THE LOOK YOU WANT WITH THE WORLD'S MOST DIVERSE RANGE OF FILLERS¹⁻⁸

EACH **RESTYLANE** FILLER IS SPECIFICALLY DESIGNED TO WORK IN A DIFFERENT AREA OF THE FACE, MEANING YOUR TREATMENT CAN BE **PERSONALIZED TO YOUR INDIVIDUAL NEEDS**^{1-6,9}

1 TEAR TROUGHS⁴



2 TEMPLES³



3 CHEEKS^{1,3}



4 NOSE¹



5 NASOLABIAL FOLDS^{4,5,6}



6 PERIORAL LINES⁴



7 MARIONETTE LINES^{4,6}




8 LIPS²



9 JAWLINE^{1,5}



10 CHIN^{1,5}



ENHANCE YOUR SKIN QUALITY WITH RESTYLANE® SKINBOOSTERS™

RESTYLANE SKINBOOSTERS - THE ORIGINAL AND LONG-LASTING SKIN BOOSTING INJECTABLE - **ENHANCE 6 KEY ASPECTS OF SKIN QUALITY** WHILE PROVIDING DEEP HYDRATION¹⁻⁹

① CHEEKS^{1,2}

② CHIN^{1,2}

③ PERIORAL AREA^{1,2}

④ PERIOCCULAR AREA^{1,2}

⑤ FOREHEAD^{1,2}

⑥ TEMPLES^{1,2}

⑦ NECK^{1,2}

⑧ HANDS^{1,2}

⑨ DÉCOLLETAGE^{1,2}

RESTYLANE®
SKINBOOSTERS™



TWO COMPLEMENTARY TECHNOLOGIES

TO HELP ACHIEVE **THE LOOK YOU WANT**^{1,2}

RESTYLANE® LYFT™ ULTIMATE PROJECTION

DESIGNED TO LIFT AND **ACCENTUATE YOUR FEATURES TO GIVE YOU STRUCTURE** WITHOUT VOLUME^{1,2,9}

NASHA®

A FIRM GEL FOR PRECISE AND PRONOUNCED LIFTING AND STRUCTURE, WITHOUT ADDING VOLUME^{*,**1,3,4}

RESTYLANE®
RESTYLANE®
LYFT™

A **firm gel** texture that's ideal for enhancing your **cheeks, nose, chin, and jawline**^{5,9,10}

Designed to be durable, with **results lasting up to 24 months**^{*11}

OBT™

A SOFTER GEL FOR TAILORED CONTOURING AND NATURAL VOLUME^{1,5-7}


RESTYLANE®
REFYNE™
RESTYLANE®
KYSSE™
RESTYLANE®
VOLYME™
RESTYLANE®
DEFYNE™

CHEEKS

JAWLINE

NOSE

CHIN



Your Aesthetic Practitioner will select the **appropriate Restylane product, depending on your individual needs**, to help you achieve the look you want.

THE VERSATILITY OF RESTYLANE TECHNOLOGIES IS DESIGNED TO GIVE YOU **INDIVIDUALIZED, NATURAL-LOOKING RESULTS THAT LAST**^{1,4,8}

* Product integration was assessed in an ex vivo human skin model using histological methods.⁴

**The firm gel structure of NASHA prevents distribution into the surrounding tissue after injection, enabling targeted product integration and precision.⁴

NASHA, Non-Animal Stabilized Hyaluronic Acid; **OBT**, Optimal Balance Technology.

PATIENT SATISFACTION:



99%

of patients **would recommend the treatment to a friend**¹²

96%

of patients felt their treatment **met or exceeded expectations**¹²

* At 24 months 93% of patients (N=100) had self-evaluated improvements and 82% had physician-assessed improvements following one retreatment.¹¹

RESTYLANE® KYSS E™ KISSABLE LIPS

DESIGNED FOR **SOFT, PLUMP, AND
NATURAL-LOOKING LIPS**¹⁻⁴



FOR EVEN MORE KISSABLE LIPS^{2,3,5}

A **soft, flexible and supportive** gel texture that has the ability to integrate with your tissue for **natural-looking, kissable lips**^{2,3,5}

It plumps, softens, and naturally enhances your lips, **restoring shape and improving lip texture**^{2,3,5}

For durable results **lasting up to 12 months**^{*6}

LIPS

RESTYLANE® VOLYME™ EFFORTLESS VOLUME

SPECIFICALLY DESIGNED TO CREATE A **FULLER,
NATURAL-LOOKING, MORE YOUTHFUL LOOK**⁷⁻¹²


A GEL FORMULATION THAT DELIVERS NATURAL-LOOKING VOLUME⁹⁻¹⁴

The **soft and flexible gel** is specifically designed to restore the natural roundness and softness of your face to give you a **youthful look** while allowing **natural facial movement**⁸⁻¹²

Durable enough to retain shape and volume over time, with **volumizing effects maintained for up to 18 months**⁹

TEMPLE

CHEEKS



PATIENT AND PARTNER SATISFACTION:



100%

of patients **were satisfied** or **very satisfied** with their lip style after treatment^{**2,6}

9/10

partners **liked the way** their partners lips **looked and felt**^{†2}

PATIENT SATISFACTION:



100%

of patients **would recommend the treatment**⁹

>98%

of patients were **satisfied** or **very satisfied** with the durability of the results^{*9}

* Optional retreatment was offered at 12 months and a maximum total volume of 3 mL was permitted.⁶
Touch-up was allowed after 2 weeks.⁶

** As assessed by patients and investigators for both upper and lower lips (lips rated as "improved", "much improved", or "very much improved"), (N=31).⁶

† Partners who rated "very satisfied", "satisfied" vs. "neutral", "unsatisfied" or "very unsatisfied", (N=59).²

* As assessed by subject satisfaction questionnaires. Patients who reported that they were "satisfied" or "very satisfied", (N=60).⁹


RESTYLANE®
DEFYNE™ DESIGNED TO
 ENHANCE YOUR
 RESTYLANE®
REFYNE™ NATURAL EXPRESSION

DEFYNE YOUR CHIN
 TO LOOK YOUR BEST
 FROM EVERY ANGLE

THE FIRST HA FILLERS CLINICALLY PROVEN TO RESTORE
 A YOUTHFUL EXPRESSION¹⁻³

SUBTLE DEFINITION

Achieve subtle definition with **Restylane Defyne** – used to contour and define your face and chin²⁻⁷



NASOLABIAL FOLDS
 MENTAL CREASE
 CHIN

Treatment lasts
up to 12 months^{*1,11}


PATIENT SATISFACTION: **97%**



of patients **were satisfied** with their treatment, 1 month after treatment^{**12}

FLEXIBLE REFINEMENT

Give your face flexible refinement with **Restylane Refyne** – used to fill lines and wrinkles^{2,7-10}



PERIORAL LINES
 NASOLABIAL FOLDS
 MARIONETTE LINES

Treatment lasts
up to 12 months^{*1,11}

95%


of patients **would recommend** the treatment to a friend, 1 month after treatment^{**13}

* Touch-up was allowed at 2 weeks after initial treatment.¹²

** Pooled results for both Restylane Refyne and Restylane Defyne. As assessed by subject and investigator satisfaction questionnaires.^{12,13}

HA, hyaluronic acid.

WHAT DOES CHIN RETRUSION LOOK LIKE?



No retrusion Mild retrusion Moderate retrusion Substantial retrusion

RESTYLANE DEFYNE OFFERS AN IDEAL BALANCE OF **FIRMNESS AND FLEXIBILITY**, TO CONTOUR AND **DEFINE THE CHIN**, AND GIVE YOU:^{*4,6-8}

- FLEXIBLE FACIAL MOVEMENT
- NATURAL EXPRESSIONS

PATIENT SATISFACTION:

99%

of patients said the **appearance of their chin had improved** after treatment with Restylane Defyne^{**14}

DURATION



* HA-based filler products have been tested for firmness (G') and flexibility (xStrain) using rheometry. G' value reflects the gel firmness (support) of a product. xStrain is an index of gel flexibility (how much strain a gel can withstand and still be reversible).⁷


** As assessed by patients and treating investigators on the 7-point GAIS (patients who were scored as "improved" "much improved" or "very much improved") after 12 weeks, (N=107).¹⁴

GAIS, Global Aesthetic Improvement Scale; HA, hyaluronic acid.

RESTYLANE® VERSATILE SUPPORT

FOR ANY AND EVERY LOOK

WITH DIFFERENT TECHNOLOGIES SUITED FOR EACH TREATMENT AREA, YOU CAN CREATE A LOOK TAILORED TO EACH PATIENT.



A **VERSATILE OPTION** THAT CAN BE USED TO **ACHIEVE THE LOOK YOU WANT**¹⁻⁴

The **original hyaluronic acid filler** with more than two decades of real-world experience^{*5,6}

Durable results that last for **up to 36 months**^{**7}

Ideal to reduce the appearance of **nasolabial folds, marionette lines, and infraorbital hollows**¹

INFRAORBITAL HOLLOWS

NASOLABIAL FOLDS & MARIONETTE LINES



PATIENT SATISFACTION:



100%

of patients **reported improvements** at 14 days after treatment^{†8}

>96%

of patients felt that they **would do the treatment again**^{†9}

* Restylane injectable gel was first approved for marketing and sale in September 1996 in the EU.⁵

** With one retreatment.⁷

† As evaluated by subject-rated improvement in the GAIS (ratings: "very much improved", "much improved", "improved" vs "no change", "worse"). (N=60).⁸

‡ As measured by subject satisfaction questionnaires regarding treatment conducted at timepoints throughout the study. (N=100).⁹

GAIS, Global Aesthetic Improvement Scale.

① SKIN QUALITY	RESTYLANE SKINBOOSTERS®	⑧ MARIONETTE LINES	RESTYLANE®	REFYNE®
② TEAR TROUGHS	RESTYLANE®	⑨ JAWLINE	LYFT®	DEFYNE®
③ TEMPLES	VOLYME®	⑩ LIPS	KYSSE®	
④ CHEEKS	LYFT®	⑪ CHIN	LYFT®	DEFYNE®
⑤ NOSE	LYFT®	⑫ NECK & DÉCOLLETAGE	SKINBOOSTERS®	
⑥ NASOLABIAL FOLDS	RESTYLANE®	⑬ HANDS	SKINBOOSTERS®	
⑦ PERIORAL LINES	REFYNE®			

RESTYLANE® SKINBOOSTERS™ :

THE ORIGINAL AND ONLY **SKIN QUALITY INJECTABLE** CLINICALLY PROVEN TO **ENHANCE 6 KEY ASPECTS OF SKIN QUALITY**¹⁻⁹

UNMATCHED PERFORMANCE:

ENHANCING 6 KEY ASPECTS OF SKIN QUALITY³⁻⁹



GLOW FROM WITHIN WITH RESTYLANE SKINBOOSTERS^{9,10}



CLINICALLY PROVEN TO BOOST SKIN QUALITY FOR SMOOTH, EVEN, YOUNGER-LOOKING, AND GLOWING SKIN³⁻⁹

- If you have **dry, dull, uneven or crêpey skin**, you could benefit from treatment with Restylane Skinboosters³⁻⁹



FAST-ACTING, IMMEDIATE, DEEP AND LONG-LASTING HYDRATION^{3,9}

- Restylane Skinboosters uses the natural ability of HA to bind water molecules, locking moisture within the skin^{1-3,9}



LONGEST LASTING WITH UNMATCHED EFFECT FOR UP TO 15 MONTHS^{3,12,13}

- Restylane Skinboosters offers **the longest duration of skin quality improvements across available HA injectables**:^{3,12,13}



TRUSTED* WITH OVER 18 YEARS OF CLINICAL EXPERIENCE**^{3-8,14}

- The closest to natural stabilized HA to improve the natural skin structure and skin hydro-balance^{3-6,10,11}



CONSISTENTLY HIGH SATISFACTION^{5,10,15}

- After 12 months of treatment, **91% of patients wanted to repeat their treatment**, and **96% would recommend it to their friends**⁵

THE LONGEST LASTING SKIN-BOOSTING INJECTABLE WITH RESULTS LASTING UP TO:

15^x
longer than Prohilo^{®3,13}

>1.5^x
longer than Juvederm[®] Volite^{®3,12}



* In more than 8 Million treatments globally.¹⁴

** Restylane Skinboosters Vital obtained first CE certification in Europe in 2004.¹²

HA, hyaluronic acid.

YOUR RESTYLANE PERSONALIZED TREATMENT PLAN

TALK TO YOUR **AESTHETIC PRACTITIONER ABOUT THE LOOK YOU WANT TO ACHIEVE, AND DESIGN AN INDIVIDUALIZED TREATMENT PLAN.**

DATE	AREA OF TREATMENT	RESTYLANE PRODUCT	NOTES

YOUR RESTYLANE PERSONALIZED TREATMENT PLAN

TALK TO YOUR **AESTHETIC PRACTITIONER ABOUT THE LOOK YOU WANT TO ACHIEVE, AND DESIGN AN INDIVIDUALIZED TREATMENT PLAN.**

DATE	AREA OF TREATMENT	RESTYLANE PRODUCT	NOTES

BEFORE AND AFTERS

KYLE, 28 YEARS^{1,3,5}

BEFORE



AFTER



RESTYLANE®
VOLYME™

TEMPLES
1 ml/side

RESTYLANE®
LYFT™

NASOLABIAL FOLDS
0.5 ml/side

ANAHITA, 35 YEARS^{1,6}

BEFORE



AFTER



RESTYLANE®
LYFT™

CHIN
1 ml

NOSE
1 ml

CHEEKS
2 ml/side

RESTYLANE®
KYSSE™

LIP VOLUME
0.8 ml

REFERENCES

FRONT COVER: THIS IS MY LOOK 1. Restylane® Lyft™ EU IFU. **2.** Restylane® Kysse™ EU IFU. **3.** Restylane® Volyme™ EU IFU. **4.** Restylane® Refyne™ EU IFU. **5.** Restylane® Defyne™ EU IFU. **6.** Restylane® Skinboosters™ VITAL EU IFU. **2020.** **7.** Restylane® Skinboosters™ VITAL LIGHT EU IFU. **8.** Restylane® EU IFU. **9.** Galderma. Data on File. MA-43049. **10.** Galderma. Data on File. MA-34483. **11.** Nikolis A et al. *Aesthet Surg J Open Forum* 2020; 2(1): ojaa005. **12.** Öhrlund Å. *J Cosmet Dermatol Sci Applic* 2018; 8(2): 47-54. **PAGES 2-3: HOW CAN RESTYLANE® HELP ME ACHIEVE MY LOOK? AND WHY SHOULD I CHOOSE RESTYLANE®?** 1. Öhrlund Å. *J Cosmet Dermatol Sci Applic* 2018; 8(2): 47-54. **2.** Kablik J et al. *J Dermatol Surg* 2009; 35: 302-312. **3.** Edsman K et al. *Dermatol Surg* 2012; 38(7 Pt 2): 1170-1179. **4.** Weiss R et al. *Dermatol Surg* 2016; 42: 699-709. **5.** Talarico S et al. *Dermatol Surg* 2015; 41: 1361-1369. **6.** Philipp-Dormston WG et al. *Dermatol Surg* 2018; 44: 826-832. **7.** Huang S and Tsai T. *J Drugs Dermatol* 2020; 19(9): 836-842. **8.** Narins R et al. *Dermatol Surg* 2011; 37: 644-650. **9.** Galderma. Data on File. MA-39680. **10.** Taylor S et al. *Dermatol Surg* 2009; 35: 1653-1660. **11.** Kerscher M et al. *Dermatol Surg* 2008; 34: 720-726. **12.** Galderma. Data on File. MA-48087. **13.** Percec I et al. *Plast Reconstr Surg* 2020; 145(2): 295e-305e. **14.** Andriopoulos B et al. Poster presented at Aesthetic & Anti-aging Medicine World Congress. 4-6 April 2019. Monte Carlo, Monaco. **PAGES 4-5: ACHIEVE YOUR IDEAL LOOK WITH THE WORLD'S MOST DIVERSE RANGE OF FILLERS 1.** Restylane® Lyft™ EU IFU. **2.** Restylane® Kysse™ EU IFU. **3.** Restylane® Volyme™ EU IFU. **4.** Restylane® Refyne™ EU IFU. **5.** Restylane® Defyne™ EU IFU. **6.** Restylane® EU IFU. **7.** Galderma. Data on File. MA-43049. **8.** Galderma. Data on File. MA-34483. **9.** Gregario G et al. *Clin Cosmet Invest Dermatol* 2022; 15: 681-690. **PAGES 6-7: ENHANCE YOUR SKIN QUALITY WITH RESTYLANE® SKINBOOSTERS 1.** Restylane® Skinboosters™ VITAL EU IFU. **2.** Restylane® Skinboosters™ VITAL LIGHT EU IFU. **3.** Wu Y et al. *J Cosmet Dermatol*. 2020. 19(7):1627-1635. **4.** Williams S et al. *J Cosmet Dermatol*. 2009;8(3):216-225. **5.** Gubanova E et al. *J Drugs Dermatol*. 2015;14(3):288-299. **6.** Dierickx C et al. *Dermatol Surg*. 2018;44 Suppl 1:S104-S18. **7.** Lee BM et al. *Arch Plast Surg*. 2015;42(3):282-287. **8.** Ribé A et al. *J Cosmet Laser Ther*. 2011;13(4):154-161. **9.** Kim J. *Arch Aesthetic Plast Surg*. 2014;20(2):97-103. **PAGES 8-9: TWO COMPLEMENTARY TECHNOLOGIES TO HELP ACHIEVE YOUR IDEAL LOOK AND RESTYLANE LYFT 1.** Gregario G et al. *Clin Cosmet Invest Dermatol* 2022; 15: 681-690. **2.** Nikolis A et al. *Aesthet Surg J Open Forum* 2020; 2(1): ojaa005. **3.** Huang S and Tsai T. *J Drugs Dermatol* 2020; 19(9): 836-842. **4.** Lundgren B et al. *J Drugs Dermatol* 2018; 17(9): 982-986. **5.** Galderma. Data on File. MA-43049. **6.** Philipp-Dormston W et al. *Dermatol Surg* 2018; 44: 826-832. **7.** Talarico S et al. *Dermatol Surg* 2015; 41: 1361-1369. **8.** Nikolis A et al. Poster presented at the 20th Aesthetic & Anti-aging Medicine World Congress. 31 March-2 April 2022. Monte Carlo, Monaco. **9.** Restylane® Lyft™ EU IFU. **10.** Öhrlund Å. *J Cosmet Dermatol Sci Applic* 2018; 8(2): 47-54. **11.** Huang S and Tsai T. *J Drugs Dermatol* 2020; 19(9): 836-842. **12.** Andriopoulos B et al. Poster presented at AMWC. 4-6 April 2019. Monte Carlo, Monaco. **PAGES 10-11: RESTYLANE KYSSE AND RESTYLANE VOLYME 1.** Restylane® Kysse™ EU IFU. **2.** Bertucci V et al. *J Cosmet Dermatol* 2021; 20(5): 1499-1504. **3.** Bertucci, V et al. *J Drugs Dermatol* 2021; 20: 402-408. **4.** Galderma. Data on File MA-43049. **5.** Lundgren B et al. *J Drugs*

Dermatol 2018; 17(9): 982-986. **6.** Hilton S et al. *Dermatol Surg*. 2018; 44(2): 261-269. **7.** Restylane Volyme EU IFU. **2020.** **8.** Gregario G et al. *Clin Cosmet Invest Dermatol* 2022; 15: 681-690. **9.** Talarico S et al. *Dermatol Surg* 2015; 41(12): 1361-1369. **10.** Jones D et al. *J Drugs Dermatol* 2021; 20(9): 949-956. **11.** Nikolis A et al. *Aesthet Surg J Open Forum* 2020; 2(1): ojaa005. **12.** Kestemont P et al. *J Drugs Dermatol* 2012; 11(1 Suppl): s9-s16. **13.** Segura S et al. *J Drugs Dermatol* 2012; 11(1 Suppl): s5-s8. **14.** Rogerio V et al. *J Stomatol Oral Maxillofac Surg* 2022; 123(4): 440-447. **PAGES 12-13: RESTYLANE DEFYNE/REFYNE AND DEFYNE YOUR CHIN TO LOOK YOUR BEST FROM EVERY ANGLE 1.** Philipp-Dormston W et al. *J Cosmet Dermatol* 2020; 19(7): 1600-1606. **2.** Solish N et al. *J Cosmet Dermatol* 2019; 18(3): 738-746. **3.** Percec I et al. *Plast Reconstr Surg* 2020; 145(2): 295e-305e. **4.** Restylane® Defyne™ EU IFU. **5.** Gregario G et al. *Clin Cosmet Invest Dermatol* 2022; 15: 681-690. **6.** Rogerio V et al. *J Stomatol Oral Maxillofac Surg* 2022; 123(4): 440-447. **7.** Öhrlund Å. *J Cosmet Dermatol Sci Applic* 2018; 8(2): 47-54. **8.** Galderma. Data on File. MA-43049. **9.** Restylane® Refyne™ EU IFU. **10.** Rohrich R et al. *Plast Reconstr Surg Glob Open* 2019; 7(6): e2172. **11.** Ascher B et al. *Dermatol Surg* 2017; 43(3): 389-395. **12.** Philipp-Dormston W et al. *Dermatol Surg* 2018; 44(6): 826-832. **13.** Philipp-Dormston W et al. Poster presented at the Aesthetic & Anti-aging Medicine World Congress. 6-8 April 2017. Monaco. **14.** Marcus K et al. *Plast Reconstr Surg* 2022. Online ahead of print. **PAGES 14-15: VERSATILE SUPPORT 1.** Restylane® EU IFU. **2.** Galderma. Data on File. MA-43049. **3.** Öhrlund Å. *J Cosmet Dermatol Sci Applic* 2018; 8(2): 47-54. **4.** Restylane® Injectable Gel. Summary of safety and effectiveness data (SSED). Available at: www.accessdata.fda.gov/cdrh_docs/pdf2/PO20023b.pdf (accessed November 2022). **5.** Galderma. Data on File. MA-39680. **6.** Galderma. Data on File. MA-48087. **7.** Narins R et al. *Dermatol Surg* 2011; 37: 644-650. **8.** Weiss R et al. *Dermatol Surg* 2010; 36(S1): 750-759. **9.** Huang S and Tsai T. *J Drugs Dermatol* 2020; 19(9): 836-842. **PAGES 16-17: RESTYLANE SKINBOOSTERS 1.** Restylane® Skinboosters™ VITAL EU IFU. **2020.** **2.** Restylane® Skinboosters™ VITAL LIGHT EU IFU. **3.** Wu Y et al. *J Cosmet Dermatol*. 2020. 19(7):1627-1635. **4.** Williams S et al. *J Cosmet Dermatol*. 2009;8(3):216-225. **5.** Gubanova E et al. *J Drugs Dermatol*. 2015;14(3):288-299. **6.** Dierickx C et al. *Dermatol Surg*. 2018;44 Suppl 1:S104-S18. **7.** Lee BM et al. *Arch Plast Surg*. 2015;42(3):282-287. **8.** Ribé A et al. *J Cosmet Laser Ther*. 2011;13(4):154-161. **9.** Kim J. *Arch Aesthetic Plast Surg*. 2014;20(2):97-103. **10.** Gubanova E et al. *Aesthetic Med* 2010;1:94-98. **11.** Edsman K et al. *J Dermatol Surg* 2012;38(7 Pt 2):1170-1179. **12.** Modern Aesthetics. Allergan launches Juvederm Volite. Available at: <https://modernaesthetics.com/news/allergan-launches-juvederm-volite>. Accessed November 2022. **13.** IBSA Nordic. Profhilo. Available at: <https://www.ibsanordic.com/therapeutic-areas/aesthetic-medicine/Profhilo.html>. Accessed November 2022. **14.** Galderma. Data on File. MA-39929. **15.** Kerscher M et al. *Dermatol Surg* 2008; 34(5): 720-726. **BACK COVER: YOUR RESTYLANE QUESTIONS ANSWERED 1.** Hilton S et al. *Dermatol Surg* 2018;44(2):261-269. **2.** Weiss RA et al. *Dermatol Surg* 2016;42(6):699-709. **3.** Restylane® EU IFU. **4.** Huang S and Tsai T. *J Drugs Dermatol* 2020; 19(9): 836-842.

YOUR RESTYLANE QUESTIONS ANSWERED

WHICH TREATMENT IS RIGHT FOR ME?

Each Restylane product is designed to achieve something different. This means you can work with your Aesthetic Practitioner to achieve a bespoke look tailored to your needs.

HOW LONG DO THE EFFECTS OF A RESTYLANE TREATMENT LAST?

The effects of Restylane are long-lasting but not permanent. Restylane is biodegradable so it will gradually disappear from the body over time.¹ **Restylane treatments can last up to 24 months***, but this period may vary, depending on the individual, the amount used, and the area being treated. After your initial treatment, follow up sessions are usually recommended to maintain results.^{1,2}

* At 24 months 93% of patients (N=100) had self-evaluated improvements and 82% had physician-assessed improvements following one retreatment.⁴

SHOULD I AVOID ANYTHING AFTER TREATMENT?

It's best to avoid exposing the treated area to extreme heat (e.g. sunbathing, saunas, or steam baths) until any signs of inflammation have disappeared.³

ARE THERE ANY TREATMENT SIDE EFFECTS?

The most common post-treatment reactions are skin redness, swelling, itching, bruising, or pain and tenderness at the treatment site.^{1,2} These reactions usually disappear shortly after each injection, within 2 weeks.^{1,2} If these become troublesome or persistent, or if you are concerned about any side effect, contact your Aesthetic Practitioner.

TALK TO YOUR
AESTHETIC
PRACTITIONER
TO FIND OUT HOW
YOU CAN ACHIEVE
YOUR LOOK
WITH RESTYLANE

Restylane, Galderma, and NASHA are registered trademarks
GL-RES-2200154 12/22

Restylane®
by GALDERMA